

List of papers

Free electron transfer – relations between molecule dynamics and reaction kinetics, O. Brede, S. Naumov. Chem. Soc. Rev. 39 (2010), 3057-3071, critical review.

N,N'-Linked 1,2-Benzisothiazol-3(2H)-one 1,1-Dioxides: Synthesis, Biological Activity and Derived Radicals, Valeria M. Zakharova, Ortwin Brede, Michael Gütschow, Mikhail A. Kuznetsov, Mikhail Zibinsky, Joachim Sieler and Bärbel Schulze, Tetrahedron 66 (2010) 379-384.

Femtosecond events in the free electron transfer, O. Brede, S. Naumov in B.S.M. Rao and J. Wishart (Eds.): Recent Trends in Radiation Chemistry, World Scientific Publishing, Singapur (2010), 411-432.

Reactivity of radical cations in non-polar condensed matter, O. Brede, S. Naumov in Y. Hatano, Y. Katsumura, A. Mozumder (Eds.): Charged particle and photon interactions with matter – recent advances, applications and interfaces, Taylor and Francis, Boca Raton (2010), 237-264.

Structure dependence of the photogeneration of thionaphthol triplets, Yasser M. Riyad, Sergej Naumov, Ralf Hermann, Ortwin Brede, Bernd Abel, Chem. Phys. Lett. 477 (2009) 290-297.

Free Electron Transfer with Bifunctional Donors: p-Aminotriethylsilanes, N. Karakostas, S. Naumov, O. Brede, J. Phys. Chem. A 113 (2009), 14087-14094.

Ionization of amino-, thio- and hydroxy-naphthalenes via free (unhindered) electron transfer, A. Baidak, S. Naumov, R. Hermann, O. Brede, J. Phys. Chem. A 112 (2008) 11036-11043.

Kinetic and energetic analysis of the free electron transfer, A. Baidak, S. Naumov, O. Brede, J. Phys. Chem. A 112 (2008) 10200-10209.

Competitive photosensitized oxidation of tyrosine and methionine residues in enkephalins and their model peptides, A. Wojcik, A. Lukaszewicz, O. Brede, B. Marciniak, J. Photochem. Photobiology A: Chemistry 198 (2008) 111-118.

Ionization of aromatic sulfides in non-polar media: free vs reaction-controlled electron transfer, N. Karakostas, S. Naumov, O. Brede, J. Phys. Chem. A 111 (2007) 71-78.

Femtosecond events in the free electron transfer, O. Brede, S. Naumov, Radiat. Phys. Chem. 76 (2007) 1229-1230.

S1-Mediated photo-Fries rearrangement. The case of 9-trimethylsilyl substituted xanthenes derivatives, M.G. Siskos, A.K. Zarkadis, O. Brede, R. Hermann, V.S. Melissas, G. G. Gurzadyan, A.S. Triantafyllou, V. Georgakilas, J. Photochem. Photobiolog. A: Chem. 182 (2006) 17-27.

Deactivation of the first excited singlet state of thiophenols, Y.M. Riyad, S. Naumov, R. Hermann, O. Brede, Phys. Chem. Chem. Phys. 8 (2006) 1697-1706.

Repair reactions of pyrimidine-derived radicals by aliphatic thiols, A. Wojcik, S. Naumov, B. Marciniak, O. Brede, J. Phys. Chem. B 110 (2006) 12738-12748.

Femtodynamics reflected in nanoseconds: bimolecular free electron transfer in non-polar media, Feature article. O. Brede, S. Naumov, J. Phys. Chem. A 110 (2006) 11906-11918.

Free electron transfer from xanthenyl- and fluorenylsilanes (Me-3 or Ph-3) to parent solvent radical cations: effect of molecule dynamics, N. Karakostas, S. Naumov, M.G. Siskos, A. Zarkadis, R. Hermann, O. Brede, J. Phys. Chem. A 109 (2005) 11679-86.

Ionization of mercapto- and hydroxypyrimidines by free electron transfer to alkyl chloride parent radical cations, D.B. Naik, R. Hermann, T. Mukherjee, S. Naumov, O. Brede, Res. Chem. Intermed. 31 (2005) 113-33.

Quantitative description of the deactivation channels of the first excited singlet state of 2- and 4-thiosalicylic acids, Y.M. Riyad, R. Hermann, O. Brede, J. Phys. Chem. A 109 (2005) 4690-96.

Thiyl radical interaction with pyrimidine C5-C6 double bond, A. Wojcik, S. Naumov, B. Marciniak, R. Hermann, O. Brede, J. Phys. Chem. B 109 (2005) 15135-44.

Ionization of aniline and its N-methyl and N-phenyl substituted derivatives by (free) electron transfer to n-butyl chloride parent radical cations, A. Maroz, R. Hermann, S. Naumov, O. Brede, J. Phys. Chem. A 109 (2005) 4690-96.

Ionization of cyclic aromatic amines by free electron transfer: Products are governed by molecule flexibility, O. Brede, A. Maroz, R. Hermann, S. Naumov, J. Phys. Chem. A 109 (2005) 8081-87.

Free electron transfer from xanthenyl- and fluorenylsilanes (Me-3 or Ph-3) to parent solvent radical cations: effect of molecule dynamics, N. Karakostas, S. Naumov, M.G. Siskos, A. Zarkadis, R. Hermann, O. Brede, J. Phys. Chem. A 109 (2005) 11679-86.

Thiyl radicals in biosystems: effects on lipid structures and metabolisms, Review, C. Ferreri, S. Kratzsch, L. Landi, O. Brede, Cellular and Molecular Life Sciences (CMLS) 62 (2005) 834-47.

Reactivity of aromatic thiols towards carbon-centered radicals via hydrogen abstraction reactions: a pulse radiolysis study, Y. M. Riyad, R. Hermann, O. Brede, Radiat. Phys. Chem. 72 (2005) 437-445.

Trans lipid formation induced by thiols in human monocyclic leukemia cells, C. Ferreri, S. Kratzsch, O. Brede, B. Marciniak, C. Chatgililoglu, Free Radicals Biol. Med. 38 (2005) 1180-87.

Femto- and nanosecond photoionization of sterically hindered phenols, R. Hermann, T. Leichtner, S. Naumov, O. Brede, in M.M. Martin and J.T. Hines (Eds.): Femtochemistry and Femtobiology, Ultrafast Events in Molecular Science, Elsevier, Amsterdam etc. 2004, p. 291-294.

3H-Indolium salts efficiently prepared from N-substituted anilines and β -branched ketones by a one-pot synthesis, T. Zimmermann, O. Brede, J. Heterocyclic Chem. 41 (2004) 1-6.

Free electron transfer mirrors rotational conformers of substituted aromatics: reaction of benzyltrimethylsilanes with n-butyl chloride parent radical cations, O. Brede, R. Hermann, S. Naumov, G.P. Perdikomatis, A.K. Zarkadis, M.G. Siskos, Phys. Chem. Chem. Phys. 6 (2004) 2267-2275.

Phenol radical cations and phenoxy radicals in the electron transfer from the natural phenols sesamol, curcumin and trolox to the parent radical cations of 1-chlorobutane, R. Joshi, S. Naumov, S. Kapoor, T. Mukherjee, R. Hermann, O. Brede, J. Phys. Org. Chem. 17 (2004) 665-674.

Largely p-quinonoid π -extended tetrathiafulvalene derivatives: a new class of highly distorted electron donors, M.C. Diaz, B.M. Illescas, N. Martin, R. Viruela, P.M. Viruela, E. Orti, O. Brede, I. Zilbermann, D.M. Guldi, Chem. Eur. J. 10 (2004) 1-12.

Radiation-induced fragmentation of cardiolipin in a model membrane, O.I. Shadyro, I.L. Yurkova, M.A. Kisel, O. Brede, J. Arnhold, Int. J. Radiat. Biol. 80 (2004) 239-245.

Formation of phosphatidic acid, ceramide, and diglyceride on radiolysis of lipids: identification by MALDI-TOF mass spectrometry, O. Shadyro, I. Yurkova, M. Kisel, O. Brede, J. Arnhold, Free Radicals Biol. Med. 36 (2004) 1612-1624.

Ionization of the three isomeric hydroxybenzoates by free electron transfer: product distribution depends on the mobility of the phenoxy group, O. Brede, R. Hermann, N. Karakostas, S. Naumov, Phys. Chem. Chem. Phys. 6 (2004) 5184-5188.

Radiation-induced free-radical transformation of phospholipids: MALDI-TOF MS study, I. Yurkova, I. Shadyro, O., Kisel, M., Brede, O., J. Arnhold, Chem. Phys. Lipids, 132 (2004) 235-246.

Cis-trans-Isomerization of unsaturated fatty acids during gamma-irradiation of barley grains, Ch. Geißler, J. Reinhardt, O. Brede, Rad. Phys. Chem. 67/2 (2003) 105-113.

Thiyl radicals in biosystems: inhibition of the prostaglandin metabolism by cis-trans-isomerization of arachidonic acid double bonds, S. Kratzsch, K. Dröbler, H. Sprinz, O. Brede, Arch. Biochem. Biophys. 416 (2003) 238-248.

Reaction of radicals with benzoquinone - addition or electron transfer? A. Maroz, O. Brede, Radiat. Phys. Chem. 67 (2003) 275-278.

Monitoring molecule dynamics by free electron transfer, O. Brede, S. Naumov, R. Hermann, Radiat. Phys. Chem. 67 (2003) 225-230.

Thiyl radical-induced cis-trans-isomerization of arachidonic acid inhibits prostaglandin metabolism, S. Kratzsch, H. Sprinz, O. Brede, Radiat. Phys. Chem. 67 (2003) 463-467.

Indication of molecular oscillations during free electron transfer: reaction of butyl chloride parent ions with benzyltrimethylsilanes, O. Brede, R. Hermann, S. Naumov, G.P. Perdikomatis, A.K. Zarkadis, M.G. Siskos, Chem. Phys. Lett. 376 (2003) 370-375.

Hidden triplet states of aromatic thiols characterized by radiation-chemical sensitization, Y. M. Riyad, R. Hermann, O. Brede, Chem. Phys. Lett. 376 (2003) 776-780.

Ring Transformations of heterocyclic compounds. XXIII [1]. The UV irradiation products of photochromic 2,4,6-triaryl-1-(spiro[2H-1-benzopyran-2,2'-indoline]-6-yl)pyridinium salts - a phenolate betaine or a pyridinium substituted merocyanine dye? T. Zimmermann, O. Brede, J. Heterocyclic Chem. 40 (2003) 611-616.

Balance of the deactivation channels of the first excited singlet state of phenols - effect of alkyl substitution, sterical hindrance and solvent polarity, R. Hermann, G.R. Mahalaxmi, T. Jochum, S. Naumov, O. Brede, J. Phys. Chem. A 106 (2002) 2379-2389.

Monitoring of the hetero-group twisting dynamics in phenol-type molecules via different characteristic free-electron-transfer products, O. Brede, R. Hermann, W. Naumann, S. Naumov, J. Phys. Chem. A 106 (2002) 1398-1405.

Elementary reactions of the antioxidant action of phenolic trans-stilben derivatives: resveratrol, pinosylvin and hydroxystilben, S. Stojanovits, O. Brede, Phys. Chem. Chem. Phys. 4 (2002) 757-764.

Sterically hindered phenols are extremely efficient light quenchers, O. Brede, S. Naumov, R. Hermann, Chem. Phys. Lett. 355 (2002) 1-7.

Diphenol radical cations and semiquinone radicals as direct products of the free electron transfer from catechol, resorcinol and hydroquinone to parent solvent radical cations, O. Brede, S. Kapoor, T. Mukherjee, R. Hermann, S. Naumov, Phys. Chem Chem. Phys. 4 (2002) 5096-5104.

Antithetical product situation in the femtosecond and nanosecond photoionization of (sterically hindered) phenols in non-protic solvents, O. Brede, T. Leichtner, S. Kapoor, R. Hermann, Chem. Phys. Lett. 366 (2002) 377-382.

Antioxidant action of trans-resveratrol and its analogues in the radiation-induced liposome oxidation, O. Brede, S. Stojanovics, H. Sprinz, Free Radical Research 36, Supp.1 (2002) 76-77.

Action modes of unconventional polymer heat stabilizers - a comparison between 3-aryl-benzofuran-2-ones and 3-aryl-(3H)-isobenzofuran-1-ones, C. Kröhnke, O. Brede, E. Epacher, B. Turcsanyi, B. Pukanszky, ACS Polymer Preprints, 42 (2001) 388-89.

Localized electron transfer in non-polar solution: reaction of phenols and thiophenols with free solvent radical cations, O. Brede, G.R. Mahalaxmi, S. Naumov, W. Naumann, R. Hermann, J. Phys. Chem. A, 105 (2001) 3757-3764.

Transformation of phospholipid membranes by thiyl radicals via cis-trans-isomerization of fatty acid residues, H. Sprinz, S. Adhikari, O. Brede, Advances in Colloid and Interface Sci. 89-90 (2001) 313-325.

Reactivity and selectivity of reactions of small radicals with a multifunctional heterocyclic molecule: 3-(mercaptoethyl)chinazoline-2,4-(1H,3H) dione, O. Brede, H. Sprinz, S. Leistner, J. Schwinn, J. Phys. Chem. A, 105 (2001) 119-127.

Thiyl radical-induced isomerization of unsaturated fatty acid: determination of equilibrium constants for this catalytical process, S. Adhikari, H. Sprinz, O. Brede, Res. Chem. Intermed. 27 (2001) 549-559.

Peculiarities in free electron transfer, O. Brede, Res. Chem. Intermed. (Leba PULS 2000 issue), 27 (2001) 709-715.

Radiolytically generated benzene triplets as sensitizers for energy and combined electron/proton transfer processes, H. Mohan, O. Brede, J. P. Mittal, J. Photochem. Photobiol. A, Chemistry, 140 (2001) 191-197.

Nucleophilic effects on the deprotonation of phenol radical cations, Mahalaxmi R. Ganapathi, Sergej Naumov, Ralf Hermann, Ortwin Brede, Chem. Phys. Lett., 337 (2001) 335-340.

Photoinduced chain reaction of alcohols in the presence of diphenyliodonium ion pairs with cyanometallates - an UV/vis spectroscopic and pulse radiolysis study, H. Hennig, O. Brede, R. Billing, J. Schönewerk, Chem. Eur. J. 7 (2001) 2114-2121.

Efficiency and mechanism of the antioxidant action of trans-resveratrol and its analogues in the radical liposome oxidation, S. Stojanovic, H. Sprinz, O. Brede, Arch. Biochem. Biophys. 391 (2001) 79-89.

Discrete ionization of two rotation-conditioned selenophenol conformers by rapid electron transfer to solvent parent radical cations, O. Brede, R. Hermann, S. Naumov, H. S. Mahal, Chem. Phys. Lett. 350 (2001) 165-172.

Wie wirken Stabilisatoren? O. Brede, R. Hermann, Nachrichten aus der Chemie, 49, Oktober 2001, 1162-67.

Thiol radical cations and thiyl radicals as direct products of the free electron transfer from aromatic thiols to n-butyl chloride radical cations, R. Hermann, G.R. Dey, S. Naumov, O. Brede, Phys. Chem. Chem. Phys. 2 (2000) 1213-1220.

Mechanism of thiyl radical catalyzed isomerization of unsaturated fatty acid residues in homogeneous solution and in liposomes, H. Sprinz, J. Schwinn, S. Naumov, O. Brede, Biochim. Biophys. Acta 1483 (2000) 91-100.

Reactivity of radical cations of naphthols and hydroxibiphenyls - a quantum chemical study of the electron transfer mechanism in 1-chlorobutane solutions, R. Hermann, S. Naumov, O. Brede, J. Mol. Strukt. (Theochem) 532 (2000) 69-80

On the photochromism of spiro-cyclohexadienedihydroacridines, T. Häupl, T. Zimmermann, R. Hermann, O. Brede, Photochemistry and Photobiology 71 (2000) 294-99.

Encounter geometry determines product characteristics of free electron transfer from phenols and thiols to radiation-generated n-butyl chloride radical cations, O. Brede, R. Hermann, G.R. Dey, H. Mohan, S. Naumov, Proceedings of the Trombay Symposium on Radiation and Photochemistry, Jan, 12-17, 2000, Vol.II, 530-36.

Thiyl radical induced isomerization of arachidonic acid, S. Adhikari, H. Sprinz, O. Brede, Proceedings of the Trombay Symposium on Radiation and Photochemistry, Jan, 12-17, 2000, Vol.II, 7-10.

Stability of phenol and thiophenol radical cations - interpretation by comparative quantum chemical approaches, R. Hermann, S. Naumov, G.R. Mahalaxmi, O. Brede, Chem. Phys. Lett. 324 (2000) 265-272.

Free electron transfer from several phenols to radical cations of non-polar solvents, G.R. Mahalaxmi, R. Hermann, S. Naumov, O. Brede, Phys. Chem. Chem. Phys. 2 (2000) 4947-4955.

Genuine pyrimidine radical cations generated by radiation-induced electron transfer to butyl chloride or acetone parent ions, R. Lomoth, S. Naumov, O. Brede, J. Phys. Chem. A, 103 (1999) 2641-48.

Transients of the oxidation of pyrimidines with SO₄^{•-} : structure and reactivity of the resulting radicals, R. Lomoth, S. Naumov, O. Brede, J. Phys. Chem. A, 103 (1999) 6571-79.

Encounter geometry determines product characteristics of the electron transfer from 4-hydroxythiophenol to n-butyl chloride radical cations, G.R. Dey, R. Hermann, S. Naumov, O. Brede, Chem. Phys. Lett. 310 (1999) 137.

The interaction of 2,3-dihydro-1,4-phthalazinedione and luminol with hydroxyl radicals, J. Arnhold, J. Schiller, J. Schwinn, H. Sprinz, O. Brede, K. Arnold, Bioluminescence and Chemoluminescence, Perspectives for the 21st Century, Eds. J.W.Hastings, L.J. Kricka, P.E. Stanley, John Wiley, New York, 1999.

Differences in the reactivity of phthalic hydrazide and luminol with hydroxyl radicals, J. Schiller, J. Arnhold, J. Schwinn, H. Sprinz, O. Brede, K. Arnold, Free Radical Res. 30 (1999) 45-57.

The competitive effect of intramolecular charge transfer on the photochromism of spiro[cyclohexadiene-indolines] studied by ps-spectroscopy, T. Häupl, T. Zimmermann, R. Hermann, O. Brede, J. Phys. Chem. A, 103 (1999) 6904-6910.

Reactivity of cartilage and selected carbohydrates with hydroxyl radicals. An NMR study to detect degradation products, J. Schiller, J. Arnhold, J. Schwinn, H. Sprinz, O. Brede, K. Arnold, Free Radical Res. 28 (1998) 215-228.

The effects of a thiol containing quinazolinone derivative (MECH) on the lipid oxidation in bilayer liposomes, J. Schwinn, H. Sprinz, S. Leistner, O. Brede, J. Radioanal. Nucl. Chem. 232 (1998) 35-37.

Reactions of H and OH radicals with ascorbic acid. A pulse radiolysis Fourier transform ESR study, H. Sprinz, D. Beckert, O. Brede, J. Radioanal. Nucl. Chem. 232 (1998) 39-41.

Oxidation of β - α -pinene by OH, Cl and Cl₂- radicals, T. Kluge, D. Pankonin, O. Brede, J. Radioanal. Nucl. Chem. 232 (1998) 103-105.

One electron oxidation of sterically hindered amines to nitroxyl radicals: intermediate amine radical cations, aminyl, β -aminoalkyl and aminylperoxyl radicals, O. Brede, D. Beckert, C. Windolph, H. A. Göttinger, J. Phys. Chem. 102 (1998) 1457-64.

Spectral and kinetic identification of radical cations of pyrimidine bases by stepwise electron transfer, R. Lomoth, O. Brede, Chem. Phys. Lett. 288 (1998) 47-51.

Photosensitized electron transfer from sterically hindered amines to the benzophenone triplet and its reversion in solvents of different polarity, T. Kluge, O. Brede, Chem. Phys. Lett. 289 (1998) 319-23

Two channels of electron transfer observed for the reaction of n-butyl chloride parent cations with naphthols and hydroxybiphenyls, H. Mohan, R. Hermann, S. Naumov, J.P. Mittal, O. Brede, J. Phys. Chem. 102 (1998) 5754-62.

Thiyl radical-induced cis/trans-isomerization of methyl linoleate in methanol and of linoleic acid residues in liposomes, J. Schwinn, H. Sprinz, K. Dröbner, S. Leistner, O. Brede, Int. J. Radiat. Biol. 74 (1998) 359-365.

The photoisomerization of spiro[cyclohexadiene-indoline] via an intramolecular charge transfer state, T. Häupl, T. Zimmermann, R. Hermann, O. Brede, Chem. Phys. Lett. 291 (1998) 215-222.

Application of NMR Spectroscopy in Radiation Chemistry, H. Sprinz, O. Brede, ISRAPs Bulletin (BARC Bombay), 9 (1998) 8-16.

Transformation of sterically hindered amines (HALS) to nitroxyl radicals: What are the actual stabilizers? O. Brede, H. A. Göttinger. Angew. Makromol. Chem. 261/262 (1998) 45-54.

The Interdisciplinary Research Unit Time-Resolved Spectroscopy, University of Leipzig, O. Brede, R. Hermann, Selfedition, Fritsch Druck und Werbung Leipzig, Oct. 1997, 20 pages.

Direct detection of the cation radical of 2,6-di-tert-butyl-4-methylphenol generated by electron-transfer oxidation with matrix alkylhalogenated cation radicals. A low-temperature EPR and UV-VIS optical absorption study, V.E. Zubarev and O. Brede, Acta Chem. Scand. 51 (1997) 224

Investigation of Coulomb-coupled radical ion pairs of benzophenone-tetracarboxylic acid and triethylamine by laser photolysis Fourier transform electron spin resonance, J. Säuberlich, O. Brede and D. Beckert, Acta Chem. Scand. 51 (1997) 602.

Photochromism of a novel class of spiroindolines: 6-aryl-3,5-diaryl-spiro[cyclohexa-2,4-diene-1,2'-indolines], O. Brede, L. Goebel and T. Zimmermann, J. Phys. Chem. 101 (1997) 4103.

Jahresbericht 1996 der Arbeitsgruppe Zeitaufgelöste Spektroskopie an der Universität Leipzig, O. Brede, Jahrbuch der Max-Planck-Gesellschaft zur Förderung der Wissenschaften e. V., München, 1997.

- Investigation of the photoreduction of anthraquinone-di-sulfonate acid by triethylamine with Fourier transform electron spin resonance*, J. Säuberlich, O. Brede and D. Beckert, *J. Phys. Chem.* 101 (1997) 5659.
- Low-temperature EPR study of the reaction of 2,2,6,6-tetra-methylpiperidyl radical with molecular oxygen. Direct spectroscopic observation of an aminylperoxyl radical*, H. A. Göttinger, V. E. Zubarev and O. Brede, *J. Chem. Soc., Perkin Trans. 2* (1997) 2167-71.
- Picosecond fluorescence of nucleic acid bases*, T. Häupl, C. Windolph, T. Jochum, O. Brede, R. Hermann, *Chem. Phys. Lett.* 280 (1997) 520.
- Fourier transform EPR study of N-centered pyrimidine radicals in the nanosecond time scale*, J. Geimer, O. Brede, D. Beckert, *Chem. Phys. Lett.* 276 (1997) 411.
- Radical cations of sterically hindered phenols as intermediates in radiation-induced electron transfer processes*, O. Brede, H. Orthner, V. Zubarev and R. Hermann, *J. Phys. Chem.* 100 (1996) 7097-7105.
- Radical cations of sterically hindered phenols*, O. Brede, R. Hermann and H. Orthner, *J. Inf. Record.* 22 (1996) 393-396.
- Photochromism of spiroindolines*, O. Brede, L. Goebel and T. Zimmermann, *J. Inf. Record.* 22 (1996) 397-400.
- Characterization of the chemical reactivity of polyethylenes by pulse radiolysis*, O. Brede, D. Beckert and T. Taplick, *Radiat. Phys. Chem.* 48 (1996) 195-200.
- Styrene triplets: absorption spectra, lifetimes and quantum yields*, O. Brede, F. David and S. Steenken, *J. Photochem. Photobiol.* 97 (1996) 127-131.
- Photoionization of benzophenone carboxylic acids in aqueous solution. A FT EPR and optical spectroscopy study of radical cation decay*, J. Säuberlich, O. Brede and D. Beckert, *J. Phys. Chem.* 100 (1996) 18101-18107.
- Time-resolved study of the antioxidant action of sterically hindered amines in alkane systems*, O. Brede, *Radiat. Phys. Chem.* 49 (1996) 39-42.
- Radiation-chemical peculiarities of spin trapping*, V. Zubarev and O. Brede, *Radiat. Phys. Chem.* 47 (1996) 365-367.
- Photochromism of a new class of spiroindoline compounds*, L. Goebel, O. Brede and T. Zimmermann, *Radiat. Phys. Chem.* 47 (1996) 369-371.
- Charge transfer to a semi-esterified bifunctional phenol*, O. Brede, R. Hermann and H. Orthner, *Radiat. Phys. Chem.* 47 (1996) 415-417.
- Lipid oxidation in bilayer liposomes induced by radicals from the surrounding water phases*, H. Sprinz and O. Brede, *Radiat. Phys. Chem.* 47 (1996) 511-513.
- Pulse radiolysis and laser flash photolysis studies of stabiliser transformation products*, O. Brede, M. Burgers, J. Kovárová and I. Kúdelka, *Radiat. Phys. Chem.* 47(1996)1 47-52.
- Kinetics of styrene type radical cations generated by different ionization procedures*, O. Brede and F. David, *Radiat. Phys. Chem.* 47 (1996)1 53-58.
- The effect of transformation products of the antioxidant BHT on the initial stages of thermo- and photo-oxidation of LDPE*, J. Kovarova, J. Rotschova, O. Brede and M. Burgers, *Can. J. Chem.* 73 (1995) 1862-1869.
- Photo- and radiation-induced chemical generation and reactions of styrene type radical cations in polar and non-polar solvents*, O. Brede, F. David and S. Steenken, *J. Chem. Soc. Perkin Trans. 2*, 2 (1995) 23-32.
- Activities in the east part of Germany: Time-resolved spectroscopy group in Leipzig*, O. Brede, *EPA Newsletter* 53 (1995) March No.
- Kinetic investigation of specific ion-pair effects in intermolecular electron transfer*, T. Kluge, H. Knoll and O. Brede, *Z. Phys. Chem.* 191 (1995) 59-69.

The study of stabilizer action modes by means of time-resolved techniques: intermediate radical cations, O. Brede, *Macromol. Symp.* 100 (1995) 71-75.

Generation of α -aminoxylcarbonium ions by the electron-transfer oxidation of phenyl-N-tert-butyloxazirane and their role in nitrene spin trapping chemistry, V.E. Zubarev and O. Brede, *J. Chem. Soc. Perkin Trans. 2* (1995) 2183-2187.

*Pulse radiolysis studies of the action of antioxidants in polyethylene and model systems: 4-methyl-2,6-di-*t*-butylphenol*, O. Brede, *Nucl. Instr. Meth. Phys. Res. B* 105 (1995) 106-109.

Direct detection of the cation radical of the spin trap β -phenyl-N-tert.-butylnitrene, V. Zubarev, and O. Brede, *J. Chem. Soc. Perkin Trans. 2*, 2 (1994) 1821-1828

Phenoxy radicals as the first observable products of phenol ionization, R. Hermann, H. Orthner and O. Brede, *Trombay Symposium on Radiation and Photochemistry, Preprint Vol.1, Invited talks, Bhabha Atomic Research Centre, Jan. 17-21 (1994)*, p. 132.

Phenol assisted photolytic and radiolytic radical cation formation of a sterically hindered tertiary amine, O. Brede, H. Orthner and R. Hermann, *Chem. Phys. Letters* 229 (1994) 571-576.

Energy transfer phenomena in low and high molecular alkanes, O. Brede and R. Hermann, *Inst. Phys. Conf. Ser. No. 126: Section VII*, pp.567, IOP Publishing Ltd. (1992).

Pulse radiolysis study of reactions of OH and H radicals and solvated electrons with spin trap C-phenyl-N-tertiary-butylnitrene, V. E. Zubarev, R. Mehnert and O. Brede, *Radiat. Phys. Chem.* 39 (1992) 281-285.

Pulse radiolysis study of the reaction of OH, H and eaq with spin trap C-phenyl-N-tert.-butylnitrene, V. E. Zubarev, R. Mehnert, O. Brede, *Radiat. Phys. Chem.* 39 (1992) 281.

Study of elementary reactions of the action of phenolic antioxidants by time-resolved UV-VIS spectroscopy, O. Brede, L. Wojnarovits, *Proceedings of the 7th Tihany Symposium on Radiation Chemistry, Hungarian Chemical Society, Budapest 1991*, p. 159.

*Antioxidant action of 4-methyl-2,6-di-*t*-butylphenol in cyclohexane*, L. Wojnarovits, O. Brede, G. Földiák, *Proceedings of the 7th Tihany Symposium on Radiation Chemistry, Hungarian Chemical Society, Budapest 1991*, p. 191.

Pulse radiolysis of doped polyethylene in molten state, O. Brede, in *Radiation Effects on Polymeric Materials* (Eds. R. Clough and S. B. Shalaby), ACS Symposium Series 475, Amer. Chem. Soc., Washington, D.C., 1991, pp. 72 – 83.

A gamma-radiolysis study on the potential involvement of a genotoxic metabolite in pristane - induced plasmacytomagenesis, S. Janz, O. Brede, J. Müller, *Carcinogenesis* 12 (1991) 1241-1246.

*Kinetics of formation and decay of 4-methyl-2,6-di-*t*-butyl-phenoxyradicals in cyclohexane solution*, O. Brede, L. Wojnarovits, *Radiat. Phys. Chem.* 37 (1991) 537

Pulse radiolysis investigation of reaction of phenolic stabilizers, O. Brede, *Proceedings of Intern. Conf. on Advances in the Stabilization and Controlled Degradation of Polymers, Luzern, Switzerland, May 21-23, 1990*, p. 29; and *ZfI-Preprint No. 82, March (1990)*

Pulse radiolysis of blended polyethylene in molten state, O. Brede, *ACS Polymer Preprints* 31 (1990) 314

A gamma-radiolysis study on the involvement of a genotoxic metabolite in the pristane-induced plasmacytomagenesis, J. Müller, O. Brede, S. Janz, *Proceedings of the 5th Working Meeting on Radiation Interaction (Leipzig, September 24-27, 1990)*, p. 131.

Pulse radiolysis of molten polyethylene blends, O. Brede, L. Stephan, T. Taplick, L. Wojnarovits, *Radiat. Phys. Chem.* 36 (1990) 239.

Pulse-radiolytic investigation of reactions of phenolic stabilizers in molten polyethylene, O. Brede, L. Wojnarovits, L. Stephan, T. Taplick, *Poly. Deg. and Stab.* 24 (1989) 257-68.

4th Working Meeting on Radiation Interaction (Some extended papers), O. Brede (Ed.), Radiat. Phys. Chem. 34 (1989) No. 3.

Pulse radiolysis of molten PE blended with aromatic olefins, O. Brede, B. Luther, Isotopenpraxis (Leipzig) 25 (1989) 239.

Formation of an intermediate radical cation in the nanosecond pulse radiolysis of malachite green cyanide in organic solvents, J. Grodkowski, K. Bobrowski, R. Mehnert, O. Brede, Radiat. Phys. Chem., 33 (1989) 555.

Liquid state model experiments on sensitization of radiation-induced crosslinking of PE by 1,2-oligobutadienes, O. Brede, D. Beckert, K. Wunsch, B. Höbelbarth, W. Specht, F. Tannert, Radiat. Phys. Chem. 34 (1989) 415.

The mechanism of singlet energy transfer from alkanes, R. Mehnert, R. Hermann, O. Brede, W. Naumann, Rad. Phys. Chem. (Burton memorial issue) 32 (1988) 325.

Time-resolved experiments on the exciton transfer phenomenon in molten polyethylene, O. Brede, W. Naumann, Rad. Phys. Chem. (Burton memorial issue) 32 (1988) 475.

Time-resolved spectroscopy of PE blends, O. Brede, R. Hermann, W. Helmstreit, T. Taplick, L. Stephan, Makromol. Chem., Macromol. Symp. 18 (1988) 113.

Radiation-induced processes in PE (a collection of papers), O. Brede (Ed.), Zfi-Mitteilungen (Leipzig) 132 (1987)

Optical absorption spectra and kinetics of phenolic stabilizer transients in n-hexadecane. A pulse radiolysis study, O. Brede, Radiat. Phys. Chem. 29 (1987) 369.

Primary processes of stabilizer action in radiation-induced alkane oxidation, O. Brede, R. Hermann, R. Mehnert, J. Chem. Soc., Faraday Trans. I, 83 (1987) 2365.

Kinetics of excitation and charge transfer reactions in non-polar media, O. Brede, R. Mehnert, W. Naumann, Chem. Phys., 115 (1987) 279.

Free energy dependence of energy and charge transfer in non-polar media / interpretation by a non-radiative transition approach, W. Naumann, R. Mehnert, O. Brede, Proceedings of the 6th Tihany Symposium on Radiation Chemistry, Akademia Kiado, Budapest (1987), 47.

Kinetics of tetraphenylethylene radical cations in cyclohexane solutions, O. Brede, S. Müller, W. Naumann J. Radioanal. Nucl. Chem. Lett., 105 (1986) 37.

Quenching of the argon (4s) levels and of the excimer Ar₂ (3 δ + n) by N₂, N₂O, SF₆, H₂O and CF₃H. A pulse radiolysis study, R. Mehnert, O. Brede, R. Hermann, Radiat. Phys. Chem. 28 (1986) 445-60.

Spectral properties and kinetics of cationic transients generated in electron pulse irradiated alkanes (c- and n-alkanes, general aspects), R. Mehnert, O. Brede, W. Naumann, J. Radioanal. Nucl. Chem. 101 (1986) 307-318.

Primary processes of stabilizer action in radiation-induced alkane oxidation, O. Brede, R. Hermann, R. Mehnert, Radiat. Phys. Chem. 28 (1986) 507-10.

Laserphotolyse- und Pulsradiolyseuntersuchungen zur Triplett-Energieübertragung in aromatischen Systemen, O. Brede, R. Mehnert, W. Naumann, Z. Chem. (Leipzig) 25 (1985) 302.

Charge transfer from the n-hexadecane radical cation to cycloalkanes and aromatics, R. Mehnert, O. Brede, W. Naumann, Ber. Bunsenges. Phys. Chem. 89 (1985)

Spectral properties and kinetics of cationic transients generated in electron pulse irradiated alkanes (cyclohexane, methylcyclohexane), R. Mehnert, O. Brede, W. Naumann, Radiat. Phys. Chem. 26 (1985) 499

Laser photolysis and pulse radiolysis investigations on the triplet energy transfer in aromatic donor-acceptor system, O. Brede, R. Mehnert, W. Naumann, J. Těplý, Ber. Bunsenges. Phys. Chem. 89 (1985) 1036-41.

Energy transfer from the n-hexadecane singlet - a pulse radiolysis study, R. Hermann, O. Brede, R. Mehnert, Radiat. Phys. Chem. 26 (1985) 513-18.

Pulse radiolysis investigation of alkene radical cations, R. Mehnert, O. Brede, Gy. Cserép, Radiat. Phys. Chem. 26 (1985) 353-63.

Direct observation of the 1,3-cyclohexadiene triplet, R. Mehnert, O. Brede, Gy. Cserép, Radiat. Phys. Chem. 24 (1985) 455.

Comment to the paper "The cations of CCl₄ in non-polar liquid systems", O. Brede, J. Bös, R. Mehnert, Radiat. Phys. Chem. 23 (1984) 739.

Spectral properties and kinetics of cationic transients generated in electron pulse irradiated C₇ - to C₁₆ - alkanes, R. Mehnert, O. Brede, W. Naumann, Ber. Bunsenges. Phys. Chem. 88 (1984) 71.

Zum Entwicklungsstand von nuklearen Anlagen mit organisch gekühlten Reaktoren, O. Brede, S. Nagel, D. Ziegenbein, Kernenergie 27 (1984) 221.

Pulse radiolysis of aqueous solutions of thiosulfate, R. Mehnert, O. Brede, I. Janovsky, Radiat. Phys. Chem. 23 (1984) 463.

Radical cations of dienes produced by charge transfer in electron irradiated n-butyl chloride solutions, Gy. Cserép, R. Mehnert, O. Brede, Proceedings of the 5th Tihany Symposium on Radiation Chemistry, Ed. by J. Dobo, P. Hedvig, R. Schiller, Akademia Kiado, Budapest (1983) 481.

Radiation-generated organic cations and their kinetic behaviour, O. Brede, ZfI-20-Preprint, Sept. 1982 and Proceedings of the 5th Tihany Symposium on Radiation Chemistry, Ed. by J. Dobo, P. Hedvig, R. Schiller, Akademia Kiado, Budapest (1983) 481 p. 445.

Energy transfer from alkane singlets and quenching of alkane fluorescences by alkyl chlorides, a pulse radiolysis study, R. Hermann, O. Brede, R. Mehnert, ZfI-22-Preprint, Sept. 1982, Proceedings of the 5th Tihany Symposium on Radiation Chemistry, Ed. by J. Dobo, P. Hedvig, R. Schiller, Akademia Kiado, Budapest (1983) p. 503

Energy transfer from the cyclohexane singlet. A pulse radiolysis study, R. Mehnert, O. Brede, W. Naumann, R. Hermann, Ber. Bunsenges. Phys. Chem. 87 (1983) 387.

Pulsradiolytische Aufklärung chemischer Reaktionsmechanismen - Arbeitsweise, Beispiele, Applikation, O. Brede, Dr. sc. Theses at AdW der DDR, Forschungsbereich Physik, Kern- und Werkstoffwissenschaften (17. Jan. 1984) and ZfI-Mitteilungen (Leipzig) 74 Sept. 1983.

Pulse-radiolytic investigation of CS₂ reduction, O. Brede, R. Mehnert, E. Hoyer, Radiochem. Radioanal. Lett. 58 (1983) 117-28.

Optical and kinetic characteristics of transients formed on pulse radiolysis of aqueous solutions of tetrathionate, R. Mehnert, O. Brede, I. Janovsky, Radiochem. Radioanal. Lett. 53 (1982) 299-310.

Primary processes of the radiation-induced cationic polymerization of aromatic olefins studied by pulse radiolysis, O. Brede, J. Bös, W. Helmstreit, R. Mehnert, Radiat. Phys. Chem. 19 (1982) 1-15.

Pulse-radiolytic investigation of cation kinetics in liquid and glassy alkane solutions, O. Brede, R. Mehnert, W. Naumann, Gy. Cserép, Radiat. Phys. Chem. 20 (1982) 155-63.

Transfer of the positive charge in non-polar liquids studied by pulse radiolysis, R. Mehnert, J. Bös, O. Brede, W. Naumann, J. of Electrostatics 12 (1982) 107-14.

Charge transfer from solvent radical cations to solutes studied in pulse-irradiated liquid n-butylchloride, R. Mehnert, O. Brede, W. Naumann, Ber. Bunsenges. Phys. Chem. 86 (1982) 525-29.

Sensitive chemical neutron dosimetry using silver colloids, O. Brede, J. Bös, B. Höbelbarth, L. Richter, Radiochem. Radioanal. Lett. 51 (1982) 57-64.

On the nature of the 475 nm-transient absorption generated in electron pulse irradiated liquid carbon tetrachloride, R. Mehnert, J. Bös, O. Brede, Radiochem. Radioanal. Lett. 51 (1982) 47-56.

Pulse radiolysis investigation of diene radical cations, R. Mehnert, O. Brede, Gy. Cserép, Ber. Bunsenges. Phys. Chem. 86 (1982) 1123-27.

Triplet state of 1,1 o-phenanthroline and benzophenone in benzene studied by pulse radiolysis, J. Teply, R. Mehnert, O. Brede, A Fojtik, Radiochem. Radioanal. Lett. 53 (1982) 141-152.

Charge scavenging kinetics for interpreting the reaction behaviour of dimer radical cations in the pulse radiolysis of styrene and styrene derivatives, W. Naumann, E. Müller, O. Brede, R. Mehnert, Radiochem. Radioanal. Lett. 47 (1981) 391-402.

Prevention of nitrate formation in aqueous primary coolant circuits of nuclear power plants, O. Brede, J. Bös, E. Bräsel, Radiochem. Radioanal. Lett. 50 (1981) 45-54.

Proceedings of the 2nd Working Meeting on Radiation Interaction, (Leipzig, 22th - 26th September 1980), Edited by O. Brede and R. Mehnert, ZfI-Mitteilungen (Leipzig) 43a (1981) 1-256, 43b (1981) 257-498, also as Microfish L 19-81-0202 45/6; papers of O. Brede, pp.167-200 (alkane cations), pp. 201-208 (kinetic theory of alkane cation reactions), pp. 217-226 (diene cations), pp. 227-242 (alkane singlet states).

Pulse radiolysis investigations of charge transfer in alkane-alkene solutions. Are monomer or dimer cations responsible for the R-bands ? R. Mehnert, O. Brede, Gy. Cserép, Radiochem. Radioanal. Lett. 47 (1981) 173

Pulse radiolytic investigation of the radiation-induced cationic primary processes in carbon tetrachloride, O. Brede, J. Bös, R. Mehnert, Ber. Bunsenges. Phys. Chem. 84 (1980) 63-68.

Pulse radiolysis of arenediazonium salts in water/tert.butanol, O. Brede, R. Mehnert, W. Naumann, H. G. O. Becker, Ber. Bunsenges. Phys. Chem. 84 (1980) 666-72.

Theoretical study of inhomogeneous radical reactions - application to the pulse radiolysis of arenediazonium salt solution, W. Naumann, O. Brede, R. Mehnert, H. G. O. Becker, Ber. Bunsenges. Phys. Chem. 84 (1980) 672-77

On the mechanism of solute singlet state formation in electron irradiated liquid alkanes, R. Hermann, O. Brede, J. Bös, R. Mehnert, Ber. Bunsenges. Phys. Chem. 84 (1980) 814-19.

Pulse radiolysis study of unstable intermediates in the radiolysis of aqueous solutions of o-phenanthroline, J. Teply, I. Janovsky, R. Mehnert, O. Brede, Radiat. Phys. Chem. 15 (1980) 169.

Nanosecond pulse radiolysis study of radical cations in liquid alkanes, R. Mehnert, J. Bös, O. Brede, Radiochem. Radioanal. Lett. 38 (1979) 47.

Pulse radiolytic characterization of the ion-molecule-reactions of radical cations with the parent alkenes, O. Brede, R. Mehnert, Gy. Cserép, Radiochem. Radioanal. Lett. 39 (1979) 169.

Pulse radiolysis of styrene and 1-methylstyrene in a strong acidic medium, O. Brede, J. Bös, R. Mehnert, Radiochem. Radioanal. Lett. 39 (1979) 259.

An inhomogeneous radical recombination observed by pulse radiolysis of aqueous solutions of arenediazonium salts, O. Brede, R. Mehnert, W. Naumann, H. G. O. Becker, Radiochem. Radioanal. Lett. 39 (1979) 247.

Novel transient absorption bands observed in alkanes containing electron scavengers, J. Bös, O. Brede, R. Mehnert, G. Nilsson, P.- O. Samskog, T. Reitberger, Radiochem. Radioanal. Lett. 39 (1979) 353.

Charge transfer from the carbon tetrachloride radical cation to alkyl chlorides, alkanes and aromatics, R. Mehnert, O. Brede, J. Bös, W. Naumann, Ber. Bunsenges. Phys. Chem. 83 (1979) 992.

Pulsradiolytische Untersuchung von Elementarreaktionen der strahleninitiierten radikalischen Polymerisation des Styrols und 1-Methylstyrols, R. Mehnert, O. Brede, J. Bös, W. Helmstreit, Z. phys. Chem. (Leipzig) 259 (1978) 739.

Pulse radiolysis study on cations of cyclohexenes in liquid hydrocarbons, Gy. Cserép, O. Brede, W. Helmstreit, R. Mehnert, Radiochem. Radioanal. Lett. 32 (1978) 15.

Ion-molecule reactions of cyclohexenes in pulse-irradiated liquid hydrocarbons, Gy. Cserép, O. Brede, W. Helmstreit, R. Mehnert, Radiochem. Radioanal. Lett. 34 (1978) 383.

Rapid transfer of positive charge in solutions of biphenyl in aliphatic and alicyclic hydrocarbons observed by pulse radiolysis, O. Brede, J. Bös, W. Naumann, R. Mehnert, Radiochem. Radioanal. Lett. 35 (1978) 85.

Pulsradiolyse polymerisationsfähiger Verbindungen: Energieübertragungsprozesse im System Benzol - aromatisches Olefin, O. Brede, J. Bös, W. Helmstreit, R. Mehnert, Z. phys. Chem. (Leipzig) 259 (1978) 705.

Nanosekunden-Pulsradiolyse von Kohlenwasserstoffen bei Raumtemperatur; Nachweis und Reaktion positiv geladener Spezies, R. Mehnert, O. Brede, J. Bös, Z. Chem. (Leipzig) 17 (1977) 268.

Kinetik und Mechanismus der Pulsradiolyse von Aryldiazoniumsalzen in Methanol; Ermittlung absoluter Geschwindigkeitskonstanten einiger Teilreaktionen, H. G. O. Becker, R. Ebisch, G. Israel, G. Kroha, W. Kroha, O. Brede, R. Mehnert, J. prakt. Chem. (Leipzig) 319 (1977) 98.

Pulse radiolysis study of monomer and dimer cations of styrene, 1-methylstyrene and 1,1-diphenylethylene, R. Mehnert, W. Helmstreit, J. Bös, O. Brede, Radiochem. Radioanal. Letters 30 (1977) 389.

Nanosekunden-Pulsradiolyse von 1-Methylstyrol und 1,1-Diphenylethylen in wäßriger Lösung, O. Brede, J. Bös, W. Helmstreit, R. Mehnert, Z. Chem. (Leipzig) 17 (1977) 447.

Application of pulse radiolysis and laser photolysis technique in studies of radiation-induced processes in liquid phase, J. Bös, O. Brede, W. Helmstreit, R. Mehnert, Proceedings of the Fourth Tihany Symposium on Radiation Chemistry, Eds. P. Hedvig and R. Schiller, Akademia Kiado, Budapest 1977, p. 881

Pulsradiolyse von Benzophenon in wäßriger Lösung, O. Brede, W. Helmstreit, R. Mehnert, Z. phys. Chem. (Leipzig) 256 (1975) 513.

Nanosekunden-Pulsradiolyse und Laserphotolyse von Benzophenon in Benzol und Cyclohexan, O. Brede, W. Helmstreit, R. Mehnert, Z. phys. Chem. (Leipzig) 256 (1975) 505.

Kombination von Pulsradiolyse und Laserphotolyse; Die Fluoreszenz des angeregten Ketylradikals Ph₂COH, R. Mehnert, O. Brede, W. Helmstreit, Z. Chem. (Leipzig) 15 (1975) 448.

Pulsradiolytische Untersuchung schneller Elementarreaktionen in flüssiger Phase, Review, D. Bertram, O. Brede, W. Helmstreit, R. Mehnert, Z. Chem. (Leipzig) 15 (1975) 125

Nanosekunden-Pulsradiolyse vom Styrol in wäßriger Lösung, O. Brede, W. Helmstreit, R. Mehnert, J. prakt. Chem. (Leipzig) 316 (1974) 402.

Fast formation of aromatic cations in cyclohexane observed by pulse radiolysis, O. Brede, W. Helmstreit, R. Mehnert, Chem. Phys. Letters 28 (1974) 43.

Peroximercurierung von Olefinen, E. Schmitz, A. Rieche, O. Brede, J. prakt. Chem. (Leipzig) 312 (1970) 30.

Umlagerung von Alkenylperoxiden, E. Schmitz, O. Brede, J. prakt. Chem. (Leipzig) 312 (1970) 43.

Über den basenkatalysierten H-D-Austausch an Cyclopentanon-(2)-carbonsäure-(1)-ethylestern, M. Mühlstädt, C. Weiss, O. Brede, Z. Chem. (Leipzig) 8 (1968) 59.